

Reference

1. <https://gco.iarc.fr/today/data/factsheets/cancers/27-Prostate-fact-sheet.pdf>
2. <https://gis.cdc.gov/Cancer/USCS/DataViz.html>
3. Da J, Xu Mx, Yao HJ, Ren XM, Zhang K, Wang Z. Prevalence of Benign Prostatic Hyperplasia in Shanghai, China: A Community-based Study. *J Integr Nephrol Androl* [serial online] 2015 [cited 2020 Sep 9]; 2:128-31.
4. Naslund MJ; Gilsenan AW; Midkiff KD; Bown A; Wolford ET; Wang J;. (n.d.). Prevalence of lower urinary tract symptoms and prostate enlargement in the primary care setting.
5. Jin, B., Turner, L., Zhou, Z., Zhou, E., & Handelsman, D. (1999, October 01). Ethnicity and Migration as Determinants of Human Prostate Size*.
6. Pejčić, T., Tosti, T., Džamić, Z., Gašić, U., Vuksanović, A., Dolićanin, Z., & Tešić, Ž. (2019, November 4). The Polyphenols as Potential Agents in Prevention and Therapy of Prostate Diseases.
7. Eleazu, C., Eleazu, K., & Kalu, W. (2017, April 12). Management of Benign Prostatic Hyperplasia: Could Dietary Polyphenols Be an Alternative to Existing Therapies?
8. Pejčić, T., Tosti, T., Tešić, Ž, Milković, B., Dragičević, D., Kozomara, M.,... Džamić, Z. (2017, July). Testosterone and dihydrotestosterone levels in the transition zone correlate with prostate volume.
9. Sivoňová, M., Kaplán, P., Tatarková, Z., Lichardusová, L., Dušenka, R., & Jurečeková, J. (2019, February). Androgen receptor and soy isoflavones in prostate cancer.
10. Applegate, C., Rowles, J., Ranard, K., Jeon, S., & Erdman, J. (2018, January 4). Soy Consumption and the Risk of Prostate Cancer: An Updated Systematic Review and Meta-Analysis.
11. Gardner CD; Oelrich B; Liu JP; Feldman D; Franke AA; Brooks JD;. (n.d.). Prostatic soy isoflavone concentrations exceed serum levels after dietary supplementation.
12. Morton MS; Chan PS; Cheng C; Blacklock N; Matos-Ferreira A; Abranches-Monteiro L; Correia R; Lloyd S; Griffiths K;. (n.d.). Lignans and isoflavonoids in plasma and prostatic fluid in men: Samples from Portugal, Hong Kong, and the United Kingdom.
13. McPherson SJ; Hussain S; Balanathan P; Hedwards SL; Niranjana B; Grant M; Chandrasiri UP; Toivanen R; Wang Y; Taylor RA; Risbridger GP;. (n.d.). Estrogen receptor-beta activated apoptosis in benign hyperplasia and cancer of the prostate is androgen independent and TNFalpha mediated.
14. Guo, Y., Zhi, F., Chen, P., Zhao, K., Xiang, H., Mao, Q.,... Zhang, X. (2017, March). Green tea and the risk of prostate cancer: A systematic review and meta-analysis.
15. Miyata, Y., Shida, Y., Hakariya, T., & Sakai, H. (2019, January 7). Anti-Cancer Effects of Green Tea Polyphenols Against Prostate Cancer.
16. Ni, S. (n.d.). Risk and preventive factors for prostate cancer in Japan: The Japan Public Health Center-based prospective (JPHC) study.
17. Henning SM, Aronson W, Niu Y, et al. Tea polyphenols and theaflavins are present in prostate tissue of humans and mice after green and black tea consumption. *J Nutr.* 2006;136(7):1839-1843. doi:10.1093/jn/136.7.1839
18. Pang X; Fu W; Wang J; Kang D; Xu L; Zhao Y; Liu AL; Du GH;. (n.d.). Identification of Estrogen Receptor α Antagonists from Natural Products via In Vitro and In Silico Approaches.
19. Rady, I., Mohamed, H., Rady, M., Siddiqui, I., & Mukhtar, H. (2017, December 19). Cancer preventive and therapeutic effects of EGCG, the major polyphenol in green tea.
20. Siddiqui IA; Afaq F; Adhami VM; Ahmad N; Mukhtar H;. (n.d.). Antioxidants of the beverage tea in promotion of human health.
21. H; Z. (n.d.). Vitamin D Deficiency as a Potential Marker of Benign Prostatic Hyperplasia.
22. Prostate Cancer, Nutrition, and Dietary Supplements (PDQ®)—Health Professional Version. (n.d.).
23. Batai, K., Murphy, A., Nonn, L., & Kittles, R. (2016, February 22). Vitamin D and Immune Response: Implications for Prostate Cancer in African Americans.
24. <https://www.pravno-informacioni-sistem.rs/SlGlasnikPortal/prilozi/p2.html&doctype=reg&abc=cba&eli=true&eliActId=427470®actid=427470>
25. HTM PROSTO – Stručno mišljenje farmaceutskog fakulteta
26. HTM PROSTO – Uputstvo za pacijenta